

154

Jupiter

Raffinement actuel
Contemporary refinement



155

Jupiter

Éclairage intemporel
Intemporal lighting



Orné d'une couronne décorative ajourée, le luminaire Jupiter se démarque avec élégance. Actuel et raffiné, il sait s'adapter à un environnement contemporain, traditionnel ou de caractère.

Ses multiples déclinaisons - finition cuivre ou alu, vasque de différentes formes - offrent de larges possibilités de mises en scène.

Au gré de vos envies, le luminaire Jupiter est une note d'originalité bienvenue dans une zone résidentielle.

Adorned with a decorative openwork crown, Jupiter stands out for its elegance. Modern and refined, it easily adapts to environments either contemporary, traditional or full of character.

Its numerous versions - copper or aluminium finish, bowls in different shapes - offer lots of possibilities for staging effects.

Adapting to individual tastes, Jupiter adds a welcome touch of originality to residential neighbourhoods.

Jupiter

Éclairage intemporel
Intemporal lighting



Jupiter

Points forts

- Esthétique actuelle et raffinée
- Couronne décorative ajourée
- Avec vasque ou verre plat

Caractéristiques techniques

Matière
Luminaire : Aluminium ou cuivre repoussé
Réflecteur : Aluminium brillanté embouti
Protection : ME (sur demande ME Resist ou verre trempé)

Forme Protection
Standard : Ronde
Option : Plate, demie-ronde ou ogive

Finition Protection
Standard : Transparente
Option : Blanc diffusant, givrée ou goutte d'eau

Optique
Type : Réflecteur asymétrique routier ou OPTICALED evo
Côté douilles : Chaussée

Puissance Maximum
SHP/IM : Jupiter 6540 : 150 W - Jupiter 6700 : 400 W
Cosmo : 140 W
OPTICALED evo : 100 W

Fixation
Sommitale : 1" GAZ mâle (sur demande 1" GAZ femelle)

Couleur standard
Noir foncé RAL 9005

Highlights

- Refined contemporary design
- Pierced decorative crown
- With globe or flat glass

Technical characteristics

Materials
Fixture: embossed aluminium or copper
Reflector: Pressed bright dipped aluminium
Protection: ME (ME Resist or tempered glass on request)

Protection Shape
Standard: Round
Optional: Flat, half round or acorn shaped

Protecting Finish
Standard: Transparent
Optional : Diffused white, frosted or droplets

Optical
Kind: Asymmetrical reflector or OPTICALED evo
Socket side: roadway

Maximum Power
HPS/MH: Jupiter 6540: 150 W - Jupiter 6700: 400 W
Cosmo: 140 W
OPTICALED evo: 100 W

Mounting
Top hanging: 1" BSPT male (1" BSPT female on request)

Color Standard
Dark black RAL 9005



Couronne décorative
Decorative crown

Accès lampe et appareillage
Lamp and controlgear access


Luminaire verre plat
Flat glass luminaire

Classe électrique

1 et 2

Electric class

1 and 2



	Jupiter 6540	Jupiter 6700
--	--------------	--------------

Poids (kg)/Weight..... 7 11
SCX (m²)/CXS..... 0,08 0,10

Indice de protection
Protection index
Bloc optiqueIP 66.....IP 66
Optical unit
Logement électriqueIP 55.....IP 55
Electrical Housing


Énergie de choc.....IK 06.....IK 06
Shock resistance

Dimensions (mm)	D	H	D	H
Size	540	405	700	510

Options

Event IP 68
IK 10 sur demande
Déconnexion à l'ouverture
IP 68 vent
IK 10 on request
Disconnects upon opening





CONSOLE **Nikaia**
Nikaia BRACKET



B - Jima 600



C - Jima 800




D - Kima 800



E - Kima 800

CONSOLE **Thaurius**
Thaurius BRACKET



B - Kima 800



C - Kima 800



D - Kima 800



E - Kima 800

CONSOLE **St-André**
St-André BRACKET



B - Kelas 600



C - Java 600



D - Kelas 800



E - Java 800



F - Java 800

CONSOLE **Agliée**
Agliée BRACKET



A - Kima 800



B - Kima 800



C - Kima 800



D - Kima 800