

174

# Myrina

Un éclairage toujours à la hauteur  
*Lighting of distinction*



175

# Myrina

Éclairage intemporel  
Intemporal lighting



Inspiré des années 1900, époque charnière dans l'histoire du design, ce luminaire révèle le charme des lieux de caractère ou accompagne discrètement les balades romantiques.

Disponible en cuivre, en laiton ou peint, suspendu ou sur lyre, avec une vasque ronde ou en ogive, c'est toute une palette de finitions qui se prête au jeu du décor. Les sites les plus exigeants ont trouvé un luminaire à leur mesure, qui préserve leur authenticité.

Une solution très esthétique pour les sites historiques ou touristiques, comme dans les ports, les centres-ville et les villages.

*Inspired by the 1900's, a turning-point in the history of design, this model not only reveals the charm of historic sites of character but also discreetly accompanies romantic strolls. Available in copper, brass or with a painted finish, suspended or harp-mounted, with a round or acorn-shaped bowl, a wide array of finishes lend themselves to a flattering decor. The most challenging locations now have a lighting solution on a par with their distinction and preserving their authenticity.*


*A very esthetic model for historic or tourist sites, but also harbours, town centres and villages.*

# Myrina

Éclairage intemporel  
Intemporal lighting

## ☼ Classe électrique 1 et 2

## ☼ Electric class 1 and 2



	Myrina 6505	Myrina 6670
--	----------------	----------------

**Poids (kg)/Weight**..... 10 ..... 12

**SCX (m²)/CXs**..... 0,08 ..... 0,13

### Indice de protection

*Protection index*  
**Bloc optique** .....IP 66.....IP 66  
*Optical unit*  
**Logement électrique** .....IP 65.....IP 65  
*Electrical Housing*

**Énergie de choc**.....IK 06..... IK 06  
*Shock resistance*

Dimensions (mm)	D	H	D	H
Size	505	550	670	670

## Options

Event IP 68  
 IK 10 sur demande  
 Déconnexion à l'ouverture  
 IP 68 vent  
 IK 10 on request  
 Disconnects upon opening



# Myrina

## ☼ Points forts

- Design 1900
- Présentation en suspendue ou sur lyre
- Disponible en laiton, en cuivre ou peint
- Deux formes de vasque possibles + verre plat (bombée et ogive)
- Existe en 2 tailles

## ☼ Caractéristiques techniques

### Matière

Luminaire : Aluminium ou cuivre repoussé  
 Réflecteur : Aluminium brillanté embouti  
 Protection : ME (sur demande ME Resist ou verre trempé)

### Forme Protection

Standard : Demi-ronde  
 Option : Plate, ronde ou ogive

### Finition Protection

Standard : Transparente  
 Option : Blanc diffusant, givrée ou goutte d'eau

### Optique

Type : Réflecteur asymétrique routier (sur demande plat) ou OPTICALED evo

Côté douilles : chaussée

### Puissance Maximum

SHP/IM : Myrina 6505 : 150 W - Myrina 6670 : 400 W

Cosmo : 140 W

OPTICALED evo : 100 W

### Fixation

Sommitale : 1" GAZ mâle (sur demande 1" GAZ femelle)

### Couleur standard

Noir foncé RAL 9005

## ☼ Highlights

- 1900's design
- Presentation in a hanging configuration or yoke mount
- Available in brass, copper or painted finish
- Two globe shapes available ( acorn-shaped or round)
- Available in 2 sizes

## ☼ Technical characteristics

### Materials

Fixture: embossed aluminium or copper  
 Reflector: pressed bright dipped aluminium  
 Protection: ME (ME Resist or tempered glass on request)

### Protection Shape

Standard: Half round  
 Optional: Flat, round or acorn shaped

### Protection Finish

Standard: Transparent  
 Optional: Diffused white, frosted or droplets

### Optical

Kind: Asymmetrical reflector (flat on request)  
 or OPTICALED evo

Socket side: roadway

### Maximum Power

HPS/MH (high pressure sodium): Myrina 6505 : 150W

Myrina 6670: 400W

Cosmo: 140W

OPTICALED evo: 100W

### Mounting

Top hanging: 1" BSPT male (1" BSPT female on request)

### Color Standard

Dark black RAL 9005



+ Version vasque ogive  
Acorn-shaped version



+ Réflecteur asymétrique routier  
dernière génération  
Last generation asymmetrical reflector



+ Ouverture par 1/4 de tour  
Quarter turn opening






CONSOLE **Aglée**  
Aglée BRACKET



**Myrina**

Propositions d'ensembles  
Suggestions for ensembles



A - Murale  
Wall mounting

B - Nausicaa 500

C - Kima 600

D - Kima 600  
borne Duna  
Duna bollard

E - Kima 600  
borne Duna  
Duna bollard

F - Kima 600

Sur lyre On yoke



**Myrina**

Propositions d'ensembles  
Suggestions for ensembles



A - Jima 300

B - Aeson 380

C - Acteon 380

D - Jima 400

E - Heliopolis 450

CONSOLE **Clipper**  
Clipper BRACKET



A - Murale  
Wall mounting

B - Velas 400

C - Heros 510

D - Acropolis 325

E - Velas 400

F - Kelas 500

CONSOLE **Hordonia**  
Hordonia BRACKET



A - Murale  
Wall mounting

B - Heliopolis 450

C - Kima 600

D - Kima 600

E - Kima 600




# Myrina

Éclairage intemporel  
Intemporal lighting



CONSOLE **St-André**  
St-André BRACKET



A - Murale  
Wall mounting



B - Kima 600



C - Fuji 800




D - Velas 500




E - Kima 600




CONSOLE **Tillandsia**  
Tillandsia BRACKET




A - Murale  
Wall mounting




B - Kima 800




C - Pelas 400



D - Volute 500



E - Kima 800



F - Kima 800