

120



Léto

Harmonie préservée
Well-preserved harmony

121

Léto

Éclairage intemporel
Intemporal lighting



Le luminaire Léto réinvente l'art d'allier discrétion et originalité. Son dôme cuivré et sa vasque conique évoquent la couleur et la forme des toitures, comme pour épouser discrètement le paysage d'espaces résidentiels ou urbains.

Monté sur lyre grâce à une fixation dédiée ou suspendu, il offre un éclairage aérien et élégant, idéal en zone résidentielle ou près des commerces de proximité.

Le design du luminaire Léto s'impose pour préserver ou révéler l'harmonie d'un site et lui donner vie.

Léto re-invents the fine art of blending discretion and originality. Its coppery dome and conical bowl recall the color and shape of rooftops, as if to reflect in all subtlety the scenery offered by residential or urban areas.

Mounted on a harp by means of a dedicated or suspended fixture, it offers elegant, airy lighting, ideal for residential neighbourhoods or areas near proximity shops.

Léto's design is perfectly suited to preserving or revealing the harmonious aspects of a site and bringing them to life.





Points forts

- Vasque conique
- Cuivre repoussé ou aluminium
- Harmonie et discrétion
- Forme de losange
- Fixation possible sur lyre dédiée à ses formes (intégration parfaite en zone résidentielle)

Caractéristiques techniques

Matière

Luminaire : Aluminium ou cuivre repoussé
Lyre : Aluminium mécano-soudé
Réflecteur : Aluminium brillanté embouti
Protection : ME (sur demande ME Resist ou verre trempé)

Forme Protection

Standard : Conique
Option : Plate

Finition Protection

Standard : Transparente
Option : Blanc diffusant, givrée ou goutte d'eau

Optique

Type : Réflecteur asymétrique routier (sur demande plat) ou OPTICALED evo
Côté douilles : Chaussée

Puissance Maximum

SHP/IM : 150 W
Cosmo : 140 W
OPTICALED evo : 100 W

Fixation

Léto 6680 sommitale : 1" GAZ mâle (sur demande 1" GAZ femelle)
En top : Léto 6680 à lyre : Ø60 (autres diamètres sur demande)
Profondeur d'emmanchement : 100 mm (Léto 6680 à Lyre)

Couleur standard

Noir foncé RAL 9005

Highlights

- Conical globe
- Embossed copper or aluminium
- Harmony and discretion
- Diamond shaped
- Possible yoke mount dedicated to its shape (perfect integration in residential areas)

Technical characteristics

Materials

Fixture: embossed aluminium or copper
Yoke: mechanically welded aluminium
Reflector: pressed bright dipped aluminium
Protection: ME (ME Resist or tempered glass on request)

Protection Shape

Standard: Conical
Optional: Flat

Protection Finish

Standard: Transparent
Optional: Diffused white, frosted or droplets

Optical

Kind: Asymmetrical reflector (flat on request) or OPTICALED evo
Socket side: roadway

Maximum Power

HPS/MH (high pressure sodium): 150 W
Cosmo: 140 W
OPTICALED evo: 100 W

Mounting

Léto 6680 top hanging: 1" BSPT male (1" BSPT female on request)
Top mounted: Léto 6680 with yoke: Ø60 (other diameters on request)
Depth of insertion: 100 mm (Léto 6680 with yoke mount)

Color Standard


Dark black RAL 9005



+ Dôme en cuivre et cône en aluminium repoussé
Copper dome and cone in embossed aluminium



+ Léto à lyre portée
Top-mounted with yoke





+ Réflecteur asymétrique routier dernière génération
Last generation asymmetrical reflector

Classe électrique

1 et 2

Electric class

1 and 2



	Léto 6680	Léto 6680 à lyre
--	-----------	------------------

Poids (kg)/Weight..... 10..... 11,5

SCX (m²)/CXS..... 0,10 0,11

Indice de protection

Protection index
Bloc optique IP 66..... IP 66
Optical unit
Logement électrique IP 55 IP 55
Electrical Housing

Énergie de choc..... IK 09..... IK 09
Shock resistance

Dimensions (mm)	D	H	D	H
Size	680	480	680	750

Options

Event IP 68
IK 10 sur demande
Déconnexion à l'ouverture
IP 68 vent
IK 10 on request
Disconnects upon opening





CONSOLE **Arion**
Arion BRACKET



Léto

Propositions d'ensembles
Suggestions for ensembles

A - Jima 500

B - Jima 600

C - Kima 800

D - Kima 600

E - Kima 800

F - Kima 600

CONSOLE **Clipper**
Clipper BRACKET



Léto

Propositions d'ensembles
Suggestions for ensembles

A - Murale
Wall mounting

B - Kima 600

C - Kima 800

D - Kima 800

E - Kima 800

CONSOLE **Busselia**
Busselia BRACKET



A - Murale
Wall mounting

B - Jima 800

C - Kima 800

D - Kima 800

Sur lyre/on yoke



A - Pelas 350

B - Jima 450


C - Etna 500

D - Jima 600



CONSOLE **Hordonia**
Hordonia BRACKET

Léto
Propositions d'ensembles
Suggestions for ensembles



A - Kima 600 B - Kima 800 C - Kima 800 D - Kima 800 E - Kima 800



CONSOLE **St-André**
St-André BRACKET

Léto
Propositions d'ensembles
Suggestions for ensembles



A - Kima 600 B - Kima 800 C - Kima 600 D - Kima 800 E - Kima 800




CONSOLE **Melitée**
Melitée BRACKET



A - Jima 600 B - Kima 800 C - Kima 800 D - Kima 800



CONSOLE **St-Louis**
St-Louis BRACKET



A - Murale
Wall mounting B - Retreint 600 C - Kima 800 D - Java 800 E - Java 800