


42



Urbane

Le passé revisité
The past revisited

43

Urbane

Promenades urbaines

Urban promenades



Pourvu de formes légères et épurées, l'Urbane semble flotter dans les airs. Ce luminaire décoratif flatte la tradition et la modernité, en revisitant les quatre faces au caractère ancien, sans se départir d'une grande fonctionnalité.

Il propose de nombreuses configurations (porté ou suspendu, avec ou sans bras) et ajoute une note de fantaisie avec sa pointe blanche nichée au cœur des bras, offrant un effet de lumière.

Ces caractéristiques lui permettent de s'adapter aisément à son environnement. Elles participent aux multiples possibilités de mises en lumière, des architectures classiques aux plus actuelles.

With its suave ethereal lines, Urbane is like a parachute floating in the air. Modern and traditional at the same time, this decorative model reinterprets the four-sided street light of character while ensuring a high level of functionality.

It offers several configurations (top-mounted or suspended, with or without arms) and adds a touch of fantasy: a decorative white cone in the centre of the arms, to give a lighting effect.

Enabling Urbane to adapt easily to its environment, these various features also play their part in offering many possibilities for lighting arrangements, from the most classic to the most contemporary.

Urbane

Promenades urbaines

Urban promenades



Urbane

Points forts

- Peut être décliné dans plusieurs configurations : modèle avec 4 bras / porté ou suspendu ou modèle sans bras suspendu
- Event régulant les pressions d'air interne
- Crochet d'ouverture très fonctionnel (sans outils)
- Compatible avec module à Led ou équipé d'un réflecteur asymétrique routier ou circulaire.
- Pointe décorative blanche au coeur des bras

Caractéristiques techniques

Matière

Luminaire : Fonderie d'aluminium injecté
 Réflecteur : Aluminium brillant embouti
 Protection : Verre trempé

Forme Protection

Standard : Plate (serigraphiée)

Finition Protection

Standard : Transparente

Optique

Type : Réflecteur asymétrique routier
 (sur demande circulaire) ou OPTICALED evo
 Côté douille : Chaussée

Puissance Maximum

SHP/IM : 150 W
 Cosmo : 140 W
 OPTICALED evo : 100 W

Fixation

En top : Ø60
 Profondeur d'emmanchement : 80 mm
 Sommitale : 1" GAZ mâle

Couleur standard

Gris 2900 sablé ou noir foncé RAL 9005

Highlights

- Available in different configurations, 4 arms / most-top or hanging or hanging model without arms
- Vent regulating internal air pressure
- Very practical tool-free opening hook
- Compatible with Led module or fitted with equipped with asymmetrical or circular reflector

Technical characteristics

Materials

Fixture: injected cast aluminium
 Reflector: pressed bright dipped aluminium
 Protection: tempered glass

Protection Shape

Standard: Flat (screen printing)

Protection Finish

Standard: Transparent

Optical

Kind: asymmetrical reflector (circular on request) or OPTICALED evo
 Socket side: roadway

Maximum Power

HPS/MH (high pressure sodium): 150 W
 Cosmo: 140 W
 OPTICALED evo: 100 W

Mounting

Top mounted: Ø60
 Depth of insertion: 80 mm
 Top hanging: 1" BSPT male

Color Standard

Textured grey 2900 or dark black RAL 9005



+ Ouverture/fermeture par crochet sans outils
 Tool-free hook opening/closing



+ Pointe blanche décorative
 Decorative white cone




+ Accès lampe et appareillage
 Lamp and control gear access

Classe électrique

1 et 2

Electric class

1 and 2



Urbane

Urbane C

Poids (kg)/Weight..... 10,5 7,9

SCX (m²)/CXS..... 0,10 0,08

Indice de protection

Protection index

Bloc optique.....IP 66..... IP 66

Optical unit

Logement électrique.....IP 66..... IP 66

Electrical Housing

Énergie de choc.....IK 08.....IK 08

Shock resistance


Dimensions (mm)

Size	D	H	D	H
	480	800	480	300

Options

IK 10 sur demande
 Déconnexion à l'ouverture
 IK 10 on request
 Disconnects upon opening






CONSOLE **Acidalis**
Acidalis BRACKET



A - Murale Wall mounting B - Jima 400 C - Java 600 D - Kima 600 E - Kima 600 F - Volute 700 G - Java 600

Urbane
Propositions d'ensembles
Suggestions for ensembles


CONSOLE **Arcadia**
Arcadia BRACKET



A - Murale Wall mounting B - Kima 600 C - Kima 800 D - Kima 800 E - Kima 800 F - Kima 800


Urbane
Propositions d'ensembles
Suggestions for ensembles

CONSOLE **Agliée**
Agliée BRACKET




A - Murale Wall mounting B - Jima 800 C - Kima 800 D - Kima 800


CONSOLE **Atala**
Atala BRACKET



A - Murale Wall mounting B - Jima 600 C - Jima 800 D - Volute 500 E - Kima 700 F - Kima 800



CONSOLE Emana
Emana BRACKET



A - Murale
Wall mounting



B - Jima 600



C - Jima 800



D - Kima 800



E - Kima 800



CONSOLE Denesia
Denesia BRACKET



A - Kima 600



B - Jima 700



C - Jima 800



D - Kima 800



E - Kima 800

Urbane
Propositions d'ensembles
Suggestions for ensembles

Urbane
Propositions d'ensembles
Suggestions for ensembles



CONSOLE Datana
Datana BRACKET



A - Murale
Wall mounting



B - Jima 800



C - Jima 800




D - Kima 800



E - Kima 800



CONSOLE Clipper
Clipper BRACKET



A - Murale
Wall mounting



B - Jima 600



C - Jima 800




D - Java 600



E - Kima 800



F - Kima 800
borne Wanda
Wanda bollard




En top
Top mounted



A - Jima 350 B - Ventoux 350 C - Volute 350 D - Aeson 400 E - Carré 400 Square F - Jima 400 G - Nausicaa 400

Urbane
Propositions d'ensembles
Suggestions for ensembles

CONSOLE
Thaurius
Thaurius BRACKET



A - Murale Wall mounting B - Java 500 C - Jima 600 D - Jima 800 E - Velas 400 F - Kima 800 G - Kima 800

Urbane
Propositions d'ensembles
Suggestions for ensembles

En top (suite)
Top mounted (continued)



H - Odysée 400 I - Jima 500 J - Pelas 500 K - Cyl 500 L - Ilion 550

